







Infoware





**OSRAM L 51W/840**

LUMILUX ENERGY SAVER

Cool White

Made in Germany



**OSRAM**

LUMILUX DE LUXE

Made in Germany





PHILIPS

**PHILIPS**

**LED** MASTER LEDtube

Internal Standard

19W 100-240V 50-60Hz

COOL WHITE 4000K

Made in China






Liforlaget





**PHILIPS**





# OPTOTRONIC® INTELLIGENT OTi DALI 50/220-240/1A4 LT2 FAN

Constant Current LED Power Supply


$I_{out}$ [mA]	$P_{out}$ [W]	$U_{out}$ [V]	$U_N/f_N$	$I_N$ [A]	$\lambda$	$t_a$ [°C]
600 - 1400	55	15 - 54	220-240V 0/50/60 Hz	0.25	0.95	-20...50



SELV-equivalent



$t_c = 75^\circ\text{C}$




wire preparation  
push in  
s: 0.2 - 1.5 mm  
f: 0.2 - 1.5 mm  
8.0 - 9.0 mm



Made in China by OSRAM  
**OSRAM**

- 1 220... 240V
- 2 DA
- 3 DA
- 4 DA
- 5

- FAN- 21
  - FAN+ 22
  - LED-aux 23
  - LEDset 24
  - LED - 25
  - LED + 26
- U-OUT = 60V





**PHILIPS**


En forlaget





**PHILIPS**

Elektronlaget

# Elektronisk forkobling







Lysutbyte

Varm fargetemperatur

Kald fargetemperatur



ca . 2000 K

4000 K

6000 K

8000 K

12000 K

16000 K





Lysfluks



500 lux

Elforlaget

